REFERENCES:

1. Ageborg M, Allenius BL, Cederfjäll C.(2009) Quality of life, self-care ability, and sense of coherence in hemodialysis patients: a comparative study. Hemodial Int. Suppl 1:S8-14. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/16223441
2. Barnett T, Li Yoong T, Pinikahana J, Si-Yen T.(2008) Fluid compliance among patients having haemodialysis: can an educational programme make a difference? J Adv Nurs. Feb;61(3):300-6. Available from URL: http://www.ncbi.nlm.nih.gov/pubmed/18197864.
3. Baraz S, Parvardeh S, Mohammadi E, Broumand B(2008). Dietary and fluid compliance: an educational intervention for patients having haemodialysis. J Adv Nurs. Jan;66(1):60-8.7. Available from URL: http://www.ncbi.nlm.nih.gov/pubmed/20423436.
4. Berns, S Jeffrey Steve J Schwab, Alice M Sheridan. Patient information: Hemodialysis (Beyond the Basics). Available from URL:. http://www.uptodate.com/contents/hemodialysis-beyond-the-basics
5. Curtin RB, Walters BA, Schatell D, Pennell P, Wise M, Klicko K.(2008) Self-efficacy and self-management behaviors in patients with chronic kidney disease. Adv Chronic Kidney Diseases.Vol .15 Issue 2 , P no.191-20.
6. Chiou CP[1], Lu YC[2], Hung SY [(2016)]Self-Management in Patients With Chronic Kidney Disease . Hu Li Za Zhi.Vol 63 Issue 2, P no.5-11. doi: 10.6224/JN.63.2.5.
7. Desroches S, Lapointe A, Ratté S, Gravel K, Légaré F, Turcotte S. (2013)Interventions to enhance adherence to dietary advice for preventing and managing chronic diseases in adults. Cochrane Database Syst Rev. Feb 28;2:CD008722. Available from URL: http://www.ncbi.nlm.nih.gov/pubmed/23450587.
8. Edward Zimbudzi Clement Lo, Marie Misso,Sanjeeva Ranasinha Sophia Zoungas (2015) Effectiveness of management models for facilitating self-management and patient outcomes in adults with diabetes and chronic kidney disease. *Systematic Reviews*2015**4**:81 **DOI:** 10.1186/s13643-015-0072-9 © Zimbudzi et al.

9. Eylem Bağ Mukadder Mollaoğlu(2009) The evaluation of self-care and self-efficacy in patients undergoing hemodialysis. DOI: 10.1111/j. P no.1365-2753.2009.01214
10. Fadem SZ, et al.(2011) Satisfaction with Renal Replacement Therapy and Education: The American Association of Kidney Patients Survey. Clin J Am Soc Nephrol.. Available from URL: https://www.google.com.B0Q
11. Ghadam MS et.al.(2015)Effect of Self-Care Education by Face-to-Face Method on the Quality of Life in Hemodialysis Patients (Relying on Ferrans and Powers Questionnaire). Glob J Health Sci.Vol 20, ISSUE 8, 20,P no.121-7. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/26755485
12. Ghannadi S et.al.(2016) Evaluating the Effect of Knowledge, Attitude, and Practice on Self-Management in Type 2 Diabetic Patients on Dialysis. J Diabetes Res. 2016;2016:3730875. doi: 10.1155/2016/3730875. Epub Jul 10. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27478845
13. Hudson JL, Moss-Morris R, Game D, Carroll A, Chilcot J.(2016) Improving Distress in Dialysis (iDiD): A tailored CBT self-management treatment for patients undergoing dialysis. J Ren Care. 2016 Dec;42(4):223-238. doi: 10.1111/jorc.12168. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27458126.
14. Hemodialysis. Wikipedia. Available from URL: https://en.wikipedia.org/wiki/Hemodialysis
15. Havas. Kathryn , Ann Bonner,Clint Douglas(2015) Self-management support for people with chronic kidney disease: Patient perspectives. DOI: 10.1111/jorc.12140.
16. Kidney disease Statistics. (2012)Available from URL: http://www.kidneyfund.org/about-us/assets/pdfs/akf-kidneydiseasestatistics-.pdf
17. Kauric-Klein Z, Peters RM, Yarandi HN.(2016) Self-Efficacy and Blood Pressure Self-Care Behaviors in Patients on Chronic Hemodialysis.. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27456461.
18. Lopez-Vargas PA, Tong A, Howell M, Craig JC.(2016) Educational Interventions for Patients With CKD: A Systematic Review. Am J Kidney Diseases .Vol 68,Issue 3 ,P no 353-70. doi: 10.1053/j.ajkd.2016.01.022.

Epub 2016 Mar 26. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27020884.

19. Lii YC, Tsay SL, Wang TJ.(2007) Group intervention to improve quality of life in haemodialysis patients. ,Vol16 ,Issue11,P no.268-75. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/17931320
20. L Janet . Welch1 Michelle Johnson2 Lani Zimmerman2Cynthia L. Russell (2015) .Self-Management Interventions in Stages 1 to 4 Chronic Kidney Disease. Release of Journal Citation Reports with Source: Web of Science Data.
21. Moattari M, Ebrahimi M, Sharifi N, Rouzbeh J.(2012) The effect of empowerment on the self-efficacy, quality of life and clinical and laboratory indicators of patients treated with hemodialysis: a randomized controlled trial. Health Qual Life Outcomes.Vol 20 Issue10 ,P no.115. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/22992449
22. MP Merkus , Jager KJ, Dekker FW, Boeschoten EW, Stevens P, Krediet RT.(1997) Quality of life in patients on chronic dialysis: self-assessment 3 months after the start of treatment. The Necosad Study Group. Am J Kidney Dis. Vo l29,Issue 4 P no:584-92.
23. . Mukadde Mollaoglu r (2006) .Perceived social support, anxiety, and self-care among patients receiving hemodialysis. DOI: 10.1002/dat.20002
24. Nate Slesnick, et.al.(2015) The chronic disease self-management program – A pilot study in patients undergoing hemodialysis
25. Ozen N et.al.(2016) Investigation of the knowledge and attitudes of patients who are undergoing hemodialysis treatment regarding their arteriovenous fistula. J Vasc Access.. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27834457.
26. Poorgholami F, Mansoori P, Montaseri Z, Najafi K.(2016) Effect of Self Care Education with and without Telephone Follow-Up on the Level of Hope in Renal Dialysis Patients: A Single-Blind Randomized Controlled Clinical Trial. Int J Community Based Nurs Midwifery. Vol 4, Issue 3,P no 256-64. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27382592

27. *Paolo Angelo Gica. Balaga* (2012) Self Efficacy and Self-Care Management Outcome of Chronic Renal Failure Patients. Asian Journal of Health vol. 2 no. 1
28. . Patel Samir S. (2016) Quality of Life in Patients With Chronic Kidney Disease: Focus on End-Stage Renal Disease Treated With Hemodialysis. http://dx.doi.org/10.1016/j.semnephrol.2005.06.015
29. .Poorgholami F, Javadpour S, Saadatmand V, Jahromi MK.(2015) Effectiveness of Self-Care Education on the Enhancement of the Self-Esteem of Patients Undergoing Hemodialysis. Glob J Health Science. Vol12,Issue 8(2):132-6. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/26383201.
30. .Reid C, Hall J, Boys J, Lewis S, Chang A.(2011) Self management of haemodialysis for End Stage Renal Disease: a systematic review. JBI Libr Syst Rev. Vol9, Issue 3 P no 69-10. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27820067Slesnick N, Pienkos S, Sun S, Doss-McQuitty S, Schiller B.(2015)The chronic disease self-management program--A pilot study in patients undergoing hemodialysis. Nephrol News Issues. ;29(4):22-3, 27-8, 30-2. Available from URL: http://www.ncbi.nlm.nih.gov/pubmed/26263750.
31. Stavroula Gerogianni, Fotoula Babatsikou, Georgia Gerogianni, Eirini Grapsa, Georgios Vasilopoulos, Sophia Zyga, Charilaos Koutis Concerns of patients on dialysis: A Research Study VOLUME 8 (2014), ISSUE 4 HEALTH SCIENCE JOURNAL
32. Shih CL, Chang TH, Jensen DA, Chiu CH.(2016) Development of a health literacy questionnaire for Taiwanese hemodialysis patients. BMC Nephrol. Vol 13, Issue 3, P no 54. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27245160.
33. Tanner JL, Craig CB, Bartolucci AA, Allon M, Fox LM, Geiger BF, Wilson NP.(2008) The effect of a self-monitoring tool on self-efficacy, health beliefs, and adherence in patients receivinghemodialysis. J Ren Nutr. Oct;8(4):203-11. Available from URL: http://www.ncbi.nlm.nih.gov/pubmed/9776797.

34. .Slesnick N, Pienkos S, Sun S, Doss-McQuitty S, Schiller B.(2015) The chronic disease self-management program--A pilot study in patients undergoing hemodialysis. Nephrol News Issues. AprVol,29 ,Issue 4, P no.22-3, 27-8, 30-2. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/26263750.
35. Sue-Hsien Chen; Yun-Fang Tsai; Chiao-Yin Sun; I-Wen Wu; Chin-Chan Lee; Mai-Szu Wu(2011) The Impact of Self-management Support on the Progression of Chronic Kidney Disease Nephrol DiaTransplant.Vol 26 Issue11:3560-3566.
36. Salwa A. Mohamed. IOSR Journal of Nursing and Health Science (IOSR-JNHS) e-ISSN: 2320–1959.p- ISSN: 2320–1940 Volume 3, Issue 4 Ver. III (Jul-Aug. 2014), Pno.s 40-50 .
37. Vida Shafipour, Fatemeh Alhani,, Anoshirvan Kazemnejad A survey of the quality of life in patients undergoing hemodialysis and its association with depression, anxiety and stress. Journal of Nursing and Midwifery Sciences 2015: 2(2): 29-35.
38. Wileman V, Chilcot J, Armitage CJ, Farrington K, Wellsted DM, Norton S, Davenport A, Franklin G, Da Silva Gane M, Horne R, Almond M. (2015) Evidence of improved fluid management in patients receiving haemodialysis following a self-affirmation theory based intervention: a randomised controlled trial. Psychol Health. Aug 6:1-27.
39. Wang R, Tang C, Chen X, Zhu C, Feng W, Li P, Lu C.(2016) Poor sleep and reduced quality of life were associated with symptom distress in patients receiving maintenance hemodialysis. Health Qual Life Outcomes. Sep 8;14(1):125. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27608683
40. Yun KS, Choi JY(2016). Effects of Dietary Program based on Self-efficacy Theory on Dietary Adherence, Physical Indices and Quality of Life for Hemodialysis Patients. J Korean Acad Nurs. Aug;46(4):598-609. Available from URL: https://www.ncbi.nlm.nih.gov/pubmed/27615049